


Bordáskerék H típusú bordásszíjhoz

Osztás: $t=$ **1/2 "**

12,7 mm



Bordáskerekek anyaga:
2F típusnál: **Acél (St)**
4, 4F típusnál: **Öntvény**


méretetek mm-ben

Szíjszélesség	Fogszám	Kivitel	Osztókör- átmérő do	Külső átmérő d	Perem- átmérő Df	F	Teljes szélesség g L	Dm	Di	dh	Rendelési szám
3/4"	14	2F	56,60	55,22	63	26,4	40	40	-	11	H3/4"14
3/4"	15	2F	60,64	59,27	66	26,4	40	45	-	11	H3/4"15
3/4"	16	2F	64,68	63,31	71	26,4	40	45	-	11	H3/4"16
3/4"	17	2F	68,72	67,35	75	26,4	40	45	-	11	H3/4"17
3/4"	18	2F	72,77	71,39	79	26,4	40	55	-	11	H3/4"18
3/4"	19	2F	76,81	75,44	83	26,4	40	60	-	11	H3/4"19
3/4"	20	2F	80,85	79,48	87	26,4	40	62	-	11	H3/4"20
3/4"	21	2F	84,89	83,52	91	26,4	40	65	-	11	H3/4"21
3/4"	22	2F	88,94	87,56	93	26,4	40	68	-	11	H3/4"22
3/4"	23	2F	92,98	91,61	97	26,4	40	72	-	11	H3/4"23
3/4"	24	2F	97,02	95,65	103	26,4	40	72	-	11	H3/4"24
3/4"	25	2F	101,06	99,69	106	26,4	40	72	-	11	H3/4"25
3/4"	26	2F	105,11	103,73	111	26,4	40	80	-	11	H3/4"26
3/4"	27	2F	109,15	107,78	115	26,4	40	80	-	11	H3/4"27
3/4"	28	2F	113,19	111,82	119	26,4	40	80	-	11	H3/4"28
3/4"	30	2F	121,28	119,90	127	26,4	40	80	-	11	H3/4"30
3/4"	32	2F	129,36	127,99	135	26,4	40	80	-	11	H3/4"32
3/4"	33	2F	133,40	132,03	140	26,4	40	80	-	11	H3/4"33
3/4"	34	2F	137,45	136,07	143	26,4	40	80	-	11	H3/4"34
3/4"	35	2F	141,49	140,12	148	26,4	40	80	-	11	H3/4"35
3/4"	36	2F	145,53	144,16	152	26,4	40	80	-	11	H3/4"36
3/4"	38	2F	153,62	152,24	158	26,4	40	80	-	11	H3/4"38
3/4"	40	2F	161,70	160,33	168	26,4	40	80	-	11	H3/4"40
3/4"	44	4F	177,87	176,50	184	26,4	40	80	-	14	H3/4"44
3/4"	48	4F	194,04	192,67	200	26,4	40	90	-	14	H3/4"48
3/4"	50	4	202,13	200,75	-	26,4	40	90	-	14	H3/4"50
1"	14	2F	56,60	55,22	63	31,8	45	40	-	12	H1"14
1"	15	2F	60,64	59,27	66	31,8	45	45	-	12	H1"15
1"	16	2F	64,68	63,31	71	31,8	45	45	-	12	H1"16
1"	17	2F	68,72	67,35	75	31,8	45	45	-	12	H1"17
1"	18	2F	72,77	71,39	79	31,8	45	55	-	12	H1"18
1"	19	2F	76,81	75,44	83	31,8	45	60	-	14	H1"19
1"	20	2F	80,85	79,48	87	31,8	45	62	-	14	H1"20
1"	21	2F	84,89	83,52	91	31,8	45	65	-	14	H1"21
1"	22	2F	88,94	87,56	93	31,8	45	68	-	14	H1"22
1"	23	2F	92,98	91,61	97	31,8	45	72	-	14	H1"23
1"	24	2F	97,02	95,65	103	31,8	45	72	-	14	H1"24
1"	25	2F	101,06	99,69	106	31,8	45	72	-	14	H1"25
1"	26	2F	105,11	103,73	111	31,8	45	80	-	14	H1"26
1"	27	2F	109,15	107,78	115	31,8	45	80	-	14	H1"27
1"	28	2F	113,19	111,82	119	31,8	45	80	-	14	H1"28
1"	30	2F	121,28	119,90	127	31,8	45	80	-	14	H1"30
1"	32	2F	129,36	127,99	135	31,8	45	80	-	14	H1"32

Bordáskerék H típusú bordásszíjhoz

Osztás: $t=$ **1/2 "**

12,7 mm



Bordáskerékek anyaga:
2F típusnál: **Acél (St)**
4, 4F típusnál: **Öntvény**


méretetek mm-ben

Szíjszélesség	Fogszám	Kivitel	Osztókör- átmérő do	Külső átmérő d	Perem- átmérő Df	F	Teljes szélesség g L	Dm	Di	dh	Rendelési szám
1"	33	2F	133,40	132,03	140	31,8	45,0	80	-	14	H1"33
1"	34	2F	137,45	136,07	143	31,8	45,0	80	-	14	H1"34
1"	35	2F	141,49	140,12	148	31,8	45,0	80	-	14	H1"35
1"	36	2F	145,53	144,16	152	31,8	45,0	80	-	14	H1"36
1"	38	2F	153,62	152,24	158	31,8	45,0	80	-	14	H1"38
1"	40	2F	161,70	160,33	168	31,8	45,0	80	-	14	H1"40
1"	44	4F	177,87	176,50	184	31,8	50,0	80	-	18	H1"44
1"	45	4F	181,91	180,54	192	31,8	50,0	80	-	18	H1"45
1"	48	4F	194,04	192,67	200	31,8	50,0	90	-	18	H1"48
1"	50	4	202,13	200,75	-	31,8	50,0	90	-	18	H1"50
1"	52	4	210,21	208,84	-	31,8	50,0	90	-	18	H1"52
1"	58	4	234,47	233,09	-	31,8	50,0	90	-	18	H1"58
1"	60	4	242,55	241,18	-	31,8	50,0	1400	-	18	H1"60
1"	70	4	282,98	281,61	-	31,8	55,0	100	-	18	H1"70
1"	72	4	291,06	289,69	-	31,8	55,0	120	-	18	H1"72
1"	84	4	339,57	338,20	-	31,8	55,0	120	-	18	H1"84
1"	96	4	388,08	386,71	-	31,8	60,0	120	-	18	H1"96
1"	120	4	485,10	483,73	-	31,8	60,0	120	-	18	H1"120
1,5"	14	2F	56,60	55,23	63	46,0	58,0	40	-	18	H1,5"14
1,5"	15	2F	60,64	59,27	66	46,0	58,0	45	-	18	H1,5"15
1,5"	16	2F	64,68	63,31	71	46,0	58,0	45	-	18	H1,5"16
1,5"	17	2F	68,72	67,35	75	46,0	58,0	45	-	18	H1,5"17
1,5"	18	2F	72,77	71,40	79	46,0	58,0	55	-	18	H1,5"18
1,5"	19	2F	76,81	75,44	83	46,0	58,0	60	-	18	H1,5"19
1,5"	20	2F	80,85	79,48	87	46,0	58,0	62	-	18	H1,5"20
1,5"	21	2F	84,89	83,52	91	46,0	58,0	65	-	18	H1,5"21
1,5"	22	2F	88,94	87,57	93	46,0	58,0	68	-	18	H1,5"22
1,5"	23	2F	92,98	91,61	97	46,0	58,0	72	-	18	H1,5"23
1,5"	24	2F	97,02	95,65	103	46,0	58,0	72	-	18	H1,5"24
1,5"	25	2F	101,06	99,69	106	46,0	58,0	72	-	18	H1,5"25
1,5"	26	2F	105,11	103,74	111	46,0	58,0	80	-	18	H1,5"26
1,5"	27	2F	109,15	107,78	115	46,0	58,0	80	-	18	H1,5"27
1,5"	28	2F	113,19	111,82	119	46,0	58,0	80	-	18	H1,5"28
1,5"	30	2F	121,28	119,91	127	46,0	58,0	80	-	18	H1,5"30
1,5"	32	2F	129,36	127,99	135	46,0	58,0	80	-	18	H1,5"32
1,5"	33	2F	133,40	132,03	140	46,0	58,0	80	-	18	H1,5"33
1,5"	34	2F	137,45	136,08	143	46,0	58,0	80	-	18	H1,5"34
1,5"	35	2F	141,49	140,12	148	46,0	58,0	80	-	18	H1,5"35
1,5"	36	2F	145,53	144,16	152	46,0	58,0	80	-	18	H1,5"36
1,5"	38	2F	153,62	152,25	158	46,0	58,0	80	-	18	H1,5"38
1,5"	40	2F	161,70	160,33	164	46,0	58,0	80	-	18	H1,5"40
1,5"	44	4F	177,87	176,50	184	46,0	58,0	80	-	18	H1,5"44

Bordáskerék H típusú bordásszíjhoz

Osztás: $t=$ **1/2 "**

12,7 mm



Bordáskerekek anyaga:
2F típusnál: **Acél (St)**
4, 4F típusnál: **Öntvény**


méretetek mm-ben

Szíjszélesség	Fogszám	Kivitel	Osztókör- átmérő do	Külső átmérő d	Perem- átmérő Df	F	Teljes szélesség g L	Dm	Di	dh	Rendelési szám
1,5"	45	4F	181,91	180,54	192	46,0	58	80	-	18	H1,5"45
1,5"	48	4F	194,04	192,67	200	46,0	65	90	-	18	H1,5"48
1,5"	50	4	202,13	200,76	-	46,0	65	90	-	18	H1,5"50
1,5"	52	4	210,21	208,84	-	46,0	65	90	-	18	H1,5"52
1,5"	58	4	234,47	233,10	-	46,0	65	90	-	18	H1,5"58
1,5"	60	4	242,55	241,18	-	46,0	65	100	-	18	H1,5"60
1,5"	70	4	282,98	281,61	-	46,0	65	100	-	24	H1,5"70
1,5"	72	4	291,06	289,69	-	46,0	65	120	-	24	H1,5"72
1,5"	84	4	339,57	338,20	-	46,0	65	120	-	24	H1,5"84
1,5"	96	4	388,08	386,71	-	46,0	65	120	-	24	H1,5"96
1,5"	120	4	485,10	483,73	-	46,0	65	120	-	24	H1,5"120
2"	14	2F	56,60	55,23	63	58,7	70	40	-	-	H2"14
2"	15	2F	60,64	59,27	66	58,7	70	45	-	-	H2"15
2"	16	2F	64,68	63,31	71	58,7	70	45	-	-	H2"16
2"	17	2F	68,72	67,35	75	58,7	70	45	-	-	H2"17
2"	18	2F	72,77	71,40	79	58,7	70	55	-	-	H2"18
2"	19	2F	76,81	75,44	83	58,7	70	60	-	-	H2"19
2"	20	2F	80,85	79,48	87	58,7	70	62	-	-	H2"20
2"	21	2F	84,89	83,52	91	58,7	70	65	-	-	H2"21
2"	22	2F	88,94	87,57	93	58,7	70	68	-	-	H2"22
2"	23	2F	92,98	91,61	97	58,7	70	72	-	-	H2"23
2"	24	2F	97,02	95,65	103	58,7	70	72	-	-	H2"24
2"	25	2F	101,06	99,69	106	58,7	70	72	-	-	H2"25
2"	26	2F	105,11	103,74	111	58,7	70	80	-	-	H2"26
2"	27	2F	109,15	107,78	115	58,7	70	80	-	-	H2"27
2"	28	2F	113,19	111,82	119	58,7	70	80	-	-	H2"28
2"	29	2F	117,23	115,86	127	58,7	70	80	-	-	H2"29
2"	30	2F	121,28	119,91	135	58,7	70	80	-	-	H2"30
2"	32	2F	129,36	127,99	140	58,7	70	80	-	-	H2"32
2"	33	2F	133,40	132,03	143	58,7	70	80	-	-	H2"33
2"	34	2F	137,45	136,08	148	58,7	70	80	-	-	H2"34
2"	35	2F	141,49	140,12	152	58,7	70	80	-	-	H2"35
2"	36	2F	145,53	144,16	158	58,7	70	80	-	-	H2"36
2"	38	2F	153,62	152,25	168	58,7	70	80	-	-	H2"38
2"	40	2F	161,70	160,33	184	58,7	70	80	-	-	H2"40
2"	44	4F	177,87	176,50	200	58,7	70	90	-	18	H2"44
2"	45	4F	181,91	180,54	-	58,7	70	90	-	18	H2"45
2"	48	4F	194,04	192,67	-	58,7	75	90	-	24	H2"48
2"	50	4	202,13	200,76	-	58,7	75	90	-	24	H2"50
2"	52	4	210,21	208,84	-	58,7	75	90	-	24	H2"52
2"	58	4	234,47	233,10	-	58,7	75	90	-	24	H2"58
2"	60	4	242,55	241,18	-	58,7	75	100	-	24	H2"60
2"	70	4	282,98	281,61	-	58,7	75	100	-	28	H2"70

Bordáskerék H típusú bordásszíjhoz

Osztás: $t=$ **1/2 "**

12,7 mm



Bordáskerekek anyaga:
2F típusnál: **Acél (St)**
4, 4F típusnál: **Öntvény**

méretet mm-ben

Szíjszélesség	Fogszám	Kivitel	Osztókör- átmérő do	Külső átmérő d	Perem- átmérő Df	F	Teljes szélesség g L	Dm	Di	dh	Rendelési szám
2"	72	4	291,06	289,69	-	58,7	75,0	120	-	28	H2"72
2"	84	4	339,57	338,20	-	58,7	75,0	120	-	28	H2"84
2"	96	4	388,08	386,71	-	58,7	75,0	120	-	28	H2"96
2"	120	4	485,10	483,73	-	58,7	75,0	120	-	28	H2"120
3"	14	2F	56,60	55,23	63	85,7	100,0	40	-	-	H3"14
3"	15	2F	60,64	59,27	66	85,7	100,0	45	-	-	H3"15
3"	16	2F	64,68	63,31	71	85,7	100,0	45	-	-	H3"16
3"	17	2F	68,72	67,35	75	85,7	100,0	45	-	-	H3"17
3"	18	2F	72,77	71,40	79	85,7	100,0	55	-	-	H3"18
3"	19	2F	76,81	75,44	83	85,7	100,0	60	-	-	H3"19
3"	20	2F	80,85	79,48	87	85,7	100,0	62	-	-	H3"20
3"	21	2F	84,89	83,52	91	85,7	100,0	65	-	-	H3"21
3"	22	2F	88,94	87,57	93	85,7	100,0	68	-	-	H3"22
3"	23	2F	92,98	91,61	97	85,7	100,0	72	-	-	H3"23
3"	24	2F	97,02	95,65	103	85,7	100,0	72	-	-	H3"24
3"	25	2F	101,06	99,69	106	85,7	100,0	72	-	-	H3"25
3"	26	2F	105,11	103,74	111	85,7	100,0	80	-	-	H3"26
3"	27	2F	109,15	107,78	115	85,7	100,0	80	-	-	H3"27
3"	28	2F	113,19	111,82	119	85,7	100,0	80	-	-	H3"28
3"	30	2F	121,28	119,91	127	85,7	100,0	80	-	-	H3"30
3"	32	2F	129,36	127,99	135	85,7	100,0	80	-	-	H3"32
3"	33	2F	133,40	132,03	140	85,7	100,0	80	-	-	H3"33
3"	34	2F	137,45	136,08	143	85,7	100,0	80	-	-	H3"34
3"	35	2F	141,49	140,12	148	85,7	100,0	80	-	-	H3"35
3"	36	2F	145,53	144,16	152	85,7	100,0	80	-	-	H3"36
3"	38	2F	153,62	152,25	158	85,7	100,0	80	-	-	H3"38
3"	40	2F	161,70	160,33	164	85,7	100,0	80	-	-	H3"40
3"	44	4F	177,87	176,50	184	85,7	100,0	80	-	24	H3"44
3"	48	4F	194,04	192,67	200	85,7	100,0	90	-	24	H3"48
3"	50	4	202,13	200,76	-	85,7	100,0	90	-	24	H3"50
3"	58	4	234,47	233,10	-	85,7	100,0	90	-	24	H3"58
3"	60	4	242,55	241,18	-	85,7	100,0	100	-	24	H3"60
3"	72	4	291,06	289,69	-	85,7	100,0	120	-	28	H3"72
3"	84	4	339,57	338,20	-	85,7	100,0	120	-	28	H3"84
3"	96	4	388,08	386,71	-	85,7	100,0	120	-	28	H3"96
3"	120	4	485,10	483,73	-	85,7	100,0	120	-	28	H3"120